

MOTORS


VERTICAL CONDENSER FAN MOTORS

FEATURES:

- Up/down design
- Reversible rotation
- Thru bolt or band mounting
- All angle sleeve or ball bearings
- Water slinger on shaft
- 5 1/2" diameter
- Full six inch shaft length

SPECIFICATIONS:

- Automatic overload
- Operating temp:
4 °F -104 °F (-20 °C - 70 °C)
- Class B insulation
- 26" leads
- Single phase
- Totally enclosed, non-ventilated
- Thermal protection



UP AND DOWN DESIGN

OPERATING TEMP:
- 4 °F - 104 °F (20 °C - 60 °C)

VERTICAL CONDENSER FAN MOTORS



PART NO	HP	VOLTS	NET WEIGHT LBS	AMPS	RPM	SPEED	FRAME	HZ	ROT	MOTOR TYPE	BEARING	CAPACITOR	A	B	C
SE3727	1/6	208/230	9.70	1	1075	1	48	60	REV	TOTALLY ENC.	SLEEVE	5/370	6"	4.71"	1/2"
SE3728	1/4	208/230	10.65	1.6	1075	1	48	60	REV	TOTALLY ENC.	SLEEVE	5/370	6"	4.25"	1/2"
SE3729	1/3	208/230	14.08	2.5	1075	1	48	60	REV	TOTALLY ENC.	SLEEVE	7.5/370	6"	4.5"	1/2"
SE3730	1/2	208/230	18.29	3.9	1075	1	48	60	REV	TOTALLY ENC.	SLEEVE	10/370	6"	5.25"	1/2"
SE3731	3/4	208/230	20.61	4.7	1075	1	48	60	REV	TOTALLY ENC.	SLEEVE	10/370	6"	5.75"	1/2"
SE3732	1/4	208/230	10.25	1.6	1075	1	48	60	REV	TOTALLY ENC.	BALL	5/370	6"	4.23"	1/2"
SE3733	1/3	208/230	13.65	2.5	1075	1	48	60	REV	TOTALLY ENC.	BALL	7.5/370	6"	4.48"	1/2"
SE3734	1/2	208/230	18.34	3.9	1075	1	48	60	REV	TOTALLY ENC.	BALL	10/370	6"	5.23"	1/2"
SE3735	3/4	208/230	20.49	4.7	1075	1	48	60	REV	TOTALLY ENC.	BALL	10/370	6.5"	5.98"	1/2"
SE3338	1/4	208/230	12.12	1.5	825	1	48	60	REV	PSC	BALL	7.5/370	6.5"	4.62"	1/2"
SE3339	1/3	208/230	14.88	2	825	1	48	60	REV	PSC	BALL	10/370	6.5"	5.62"	1/2"



ENVIRONMENTALLY SMART